non-provisional sequence listing.ST25.txt 10/53910% SEQUENCE LISTING

<110>	Heyduk, Tomasz Heyduk, Ewa Knoll, Eric	JC17 Rec'd PCT/PTO	15 JUN	2005
<120>	Biosensors for Detecting Macromolecules a	and Other Analytes		
	048483-102364			
<150> <151>				
<150> <151>	us 60/529,076 2003-12-12			
<160>	126			
<170>	PatentIn version 3.3			
<210> <211> <212> <213>				
<220> <223>	based on mammalian sequence			
<400> agtccg	1 tggt agggcaggtt ggggtgact		29	
<210> <211> <212> <213>	15			
<220> <223>	based on mammalian sequence			
<400> ggttgg	2 tgtg gttgg		15	
<210> <211> <212> <213>	3 29 DNA Artificial			
<220> <223>	based on mammalian sequence	·		
<400> agtccg	3 tggt agggcaggtt ggggtgact		29	
<210> <211> <212> <213>	15			
<220> <223>	based on mammalian sequence			

Page 1

```
<400> 4
                                                                        15
ggttggtgtg gttgg
<210>
      5
      49
<211>
<212>
      DNA
<213> Artificial
<220>
<223>
      based on mammalian sequence
<220>
<221> misc_feature <222> (30)..(34)
<223> n is a, c, g, t, or u
<400> 5
                                                                        49
agtccgtggt agggcaggtt ggggtgactn nnnnggttgg tgtggttgg
<210>
<211>
      54
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
      misc_feature
<221>
<222>
      (30)..(39)
<223> n is a, c, g, t, or u
<400> 6
                                                                        54
agtccgtggt agggcaggtt ggggtgactn nnnnnnnnn gttggtgtgg ttgg
<210> 7
<211> 54
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
      misc_feature
<221>
<222>
      (16)..(25)
<223>
      n is a, c, g, t, or u
                                                                        54
ggttggtgtg gttggnnnnn nnnnnagtcc gtggtagggc aggttggggt gact
<210>
<211> 40
<212> DNA
<213> Artificial
```

```
<220>
<223> based on mammalian sequence
<400> 8
                                                                  40
ggttggtgtg gttggttttt ttctgtcgtt agtgaaggtt
<210>
      54
<211>
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 9
aaccttcact aacgacagtt tttttagtcc gtggtagggc aggttggggt gact
                                                                  54
<210>
      10
<211> 50
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 10
                                                                  50
ggttggtgtg gttggttttt ttttttttt ttctgtcgtt agtgaaggtt
<210> 11
<211> 64
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
                                                                  60
aaccttcact aacgacagtt ttttttttt tttttagtcc gtggtagggc aggttggggt
                                                                  64
gact
<210> 12
<211> 60
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 12
                                                                  60
<210>
      13
<211> 74
<212> DNA
<213> Artificial
```

.220-	non-provisional sequence listing.5125.txt	
<220> <223>	based on mammalian sequence	
<400> aacctt	13 cact aacgacagtt ttttttttt tttttttt tttttagtcc gtggtagggc	60
aggttg	gggt gact	74
<212>	14 39 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggttgg	14 tgtg gttggtttt tttttttt ttcgcatct	39
<210> <211> <212> <213>		
<220> <223>	based on mammalian sequence	
<400> agatgc	15 gttt ttttttttt ttttagtccg tggtagggca ggttggggtg act	53
<210> <211> <212> <213>	16 27 DNA Artificial	
<220> <223>	based on mammalian sequence	
<220> <221> <222> <223>	misc_feature (16)(20) n is a, c, g, t, or u	
<400> ggttgg	16 tgtg gttggnnnnn cgcatct	27
<210> <211> <212> <213>	41 DNA	
<220> <223>	based on mammalian sequence	
<220> <221> <222>	misc_feature (8)(12)	

```
non-provisional sequence listing.ST25.txt
<223> n is a, c, g, t, or u
<400> 17
                                                                       41
agatgcgnnn nnagtccgtg gtagggcagg ttggggtgac t
<210>
       18
       28
<211>
<212>
      DNA
      Artificial
<213>
<220>
<223> based on mammalian sequence
<220>
      misc_feature
<221>
<222>
      (16)..(20)
<223>
      n is a, c, g, t, or u
<400>
                                                                       28
ggttggtgtg gttggnnnnn tcgcatct
<210> 19
      41
<211>
<212>
      DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221> misc_feature
<222>
      (8)..(12)
<223> n is a, c, g, t, or u
agatgcgnnn nnagtccgtg gtagggcagg ttggggtgac t
                                                                       41
<210>
      20
<211>
<212>
      69
      DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221>
      misc_feature
<222>
       (19)..(51)
<223>
      n is a, c, g, t, or u
<400> 20
                                                                       60
ctgtcgttag tgaaggttnn nnnnnnnnn nnnnnnnnn nnnnnnnnn naacgccata
                                                                       69
tcacagacg
<210> 21
```

```
non-provisional sequence listing.ST25.txt
<211> 18
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 21
                                                                                 18
ctgtcgttag tgaaggtt
<210> 22
<211> 18
<212> DNA
<213> Artificial
<220>
<223>
       based on mammalian sequence
<400> 22
cgtctgtgat atggcgtt
                                                                                 18
<210>
        23
<211>
       22
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221> misc_feature
<222> (16)..(17)
<223> n is a, c, g, t, or u
<400> 23
                                                                                 22
ggttggtgtg gttggnngac ag
<210> 24
<211> 27
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221> misc_feature
<222> (16)..(20)
<223>
        n is a, c, g, t, or u
<400> 24
                                                                                 27
ggttggtgtg gttggnnnnn acgacag
<210>
        25
<211> 24
<212> DNA
<213> Artificial
```

```
<220>
<223> based on mammalian sequence
<220>
<221>
<222>
      misc_feature
<222> (13)..(17)
<223> n is a, c, g, t, or u
<400> 25
                                                                           24
gaacgagagt gcnnnnncgc atct
<210> 26
<211> 24
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221>
<222>
       misc_feature
       (8)..(12)
<223> n is a, c, g, t, or u
<400> 26
                                                                           24
agatgcgnnn nnttgaactg gacc
<210> 27
<211> 26
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 27
                                                                           26
ggtccagttc aattgcactc tcgttc
<210>
       28
<211> 28
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221>
<222>
       misc_feature
       (16)..(20)
<223> n is a, c, g, t, or u
<400> 28
                                                                           28
ggttggtgtg gttggnnnnn aacgacag
<210> 29
```

```
non-provisional sequence listing.ST25.txt
<211> 82
<212>
      DNA
<213>
      Artificial
<220>
<223> based on mammalian sequence
<220>
<221> misc_feature <222> (9)..(13)
<223> n is a, c, g, t, or u
<220>
<221> misc_feature
<222>
      (32)..(64)
<223> n is a, c, g, t, or u
<400> 29
ctgtcgttnn nnnttgagtc agcgtcgagc annnnnnnn nnnnnnnnn nnnnnnnnnn
                                                                        60
                                                                        82
nnnnttcact gtgctgcggc ta
<210>
       30
<211>
       31
<212> DNA
<213> Artificial
<220>
<223>
       based on mammalian sequence
<220>
<221> misc_feature
<222>
      (9)..(13)
<223> n is a, c, g, t, or u
                                                                        31
ctgtcgttnn nnnttgagtc agcgtcgagc a
<210>
       31
<211> 18
<212> DNA
<213> Artificial
<220>
<223>
       based on mammalian sequence
<400> 31
tagccgcagc acagtgaa
                                                                        18
<210>
       32
<211>
       66
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
```

220	non-provisional sequence listing.5125.txt	
<220> <221> <222> <223>	misc_feature (19)(48) n is a, c, g, t, or u	
<400> cacctg	32 atcg ctcctcgtnn nnnnnnnnn nnnnnnnnn nnnnnnnnca ggatgcacag	60
gcacaa		66
<210> <211> <212> <213>	33 66 DNA Artificial	
<220> <223>	based on mammalian sequence	
	misc_feature (19)(48) n is a, c, g, t, or u	
<400> agccgc	33 catt ccatagtgnn nnnnnnnnn nnnnnnnnn nnnnnnnnca ggatgccgat	60
caggtg		66
<210> <211> <212> <213>	34 18 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> cacctg	34 atcg ctcctcgt	18
<210> <211> <212> <213>	35 18 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ttgtgc	35 ctgt gcatcctg	18
<210> <211> <212> <213>	36 18 DNA Artificial	
<220> <223>	based on mammalian sequence	

```
non-provisional sequence listing.ST25.txt
<400> 36
                                                                       18
agccgccatt ccatagtg
<210> 37
<211> 18
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 37
                                                                       18
cacctgatcg gcatcctg
<210>
       38
       55
<211>
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
       misc_feature
<221>
<222>
       (8)..(12)
<223>
       n is a, c, g, t, or u
<400> 38
agatgcgnnn nnaggttggg ggtactaggt atcaatgggt agggtggtgt aacgc
                                                                       55
<210>
      39
<211> 65
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<220>
<221>
<222>
       misc_feature
      (8)..(12)
<223>
      n is a, c, g, t, or u
                                                                       60
agatgcgnnn nnagtgaagg ttggggggtac taggtatcaa tgggtagggt ggtgtaacgc
                                                                       65
catat
<210>
       40
<211>
       50
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
```

```
non-provisional sequence listing.ST25.txt
<220>
<221>
<222>
      misc_feature
      (39)..(43)
       n is a, c, g, t, or u
<400>
                                                                        50
aacgcaataa atgtgaagta gatcacattt taggcaccnn nnngatggct
<210>
       41
<211>
       69
<212>
      DNA
<213> Artificial
<220>
<223>
      based on mammalian sequence
<220>
<221> misc_feature
<222>
      (19)..(51)
<223> n is a, c, g, t, or u
<400> 41
agccatctaa ctattcccnn nnnnnnnnn nnnnnnnnn nnnnnnnnn ngagcgagaa
                                                                        60
                                                                        69
attctaggt
<210>
       42
     38
<211>
<212> DNA
<213> Artificial
<220>
<223> based on mammalian sequence
<400> 42
                                                                        38
ggtgcctaaa atgtgatcta cttcacattt attgcgtt
<210>
       43
<211>
      18
<212>
      DNA
      Artificial
<213>
<220>
<223>
       based on mammalian sequence
<400> 43
                                                                        18
agccatctaa ctattccc
<210>
       44
<211>
       18
<212>
      DNA
<213> Artificial
<220>
<223>
       based on mammalian sequence
<400> 44
                                                                        18
acctagaatt tctcgctc
                                       Page 11
```

<210> <211> <212> <213>	45 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggcggta	45 atgg gcatagcgta atgggaggtt ggt	33
<210> <211> <212> <213>	46 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggatgc	46 gtaa tggttagggt gggtagggta tcc	33
<210> <211> <212> <213>	47 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggatgc	47 gtaa tggttagggt gggtagggta tcc	33
<210> <211> <212> <213>	48 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggatgc	48 gtaa tggttagggt gggtagggta tcc	33
<210> <211> <212> <213>	49 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gcagta	49 ggta ctatattggc tagggtggtc tgc	33
~210 <u>~</u>	50	

	NON_NPO\/7 C3 ONO !	COULIANCA	11041MM CT/L +V+	
<211> <212> <213>	33 DNA Artificial	sequence	listing.ST25.txt	
<220> <223>	based on mammalian sequence			
<400> gcagta	50 ggta ctatattggc tagggtggtc tgc			33
<210> <211> <212> <213>	51 33 DNA Artificial			
<220> <223>	based on mammalian sequence			
<400> ggcggt	51 atgg gcatagcgta atgggaggtc tgc			33
	52 33 DNA Artificial			
<220> <223>	based on mammalian sequence			
<400> ggatgc	52 gtaa tggttagggt gggtagggta tcc			33
<210> <211> <212> <213>	53 33 DNA Artificial			
<220> <223>	based on mammalian sequence			
<400> ggcggt	53 atgg gtatagcgta atgggaggtt ggt			33
<210> <211> <212> <213>	33			
<220> <223>	based on mammalian sequence			
	54 acta ggtattaatg ggtagggtgg tgt			33
<210><211><211><212><213>	33			

<220> <223>	based on mammalian sequence	
	55 ggaa cggaacggtt agggtgggta ggg	33
<210> <211> <212> <213>	56 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<220> <221> <222> <223>	misc_feature (5)(5) n is a, c, g, t, or u	
<400> gcggng	56 atag gtcgcgtaag ttgggtaggg tgg	33
<210> <211> <212> <213>	57 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> caggat	57 gggt agggtggtca gcgaagcagt agg	33
<210> <211> <212> <213>	58 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> caacgg	58 ttgg gtgaactgta gtggcttggg gtg	33
<210> <211> <212> <213>	59 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> caggat	59 gggt agggtggtca gcgaagcagt agg	33
<210>	60	

	non-provisional sequence listing.ST25.txt	
<211> <212> <213>	32 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> caggat	60 gggt agggtggtca gcgaagcagt ag	32
<210> <211> <212> <213>	61 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggcgag	61 agca gcgtgatagg gtgggtaggg tgg	33
<210> <211> <212> <213>	62 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> cagggt	62 cagg gctagatgat gcgattaacc atg	33
<210> <211> <212> <213>	63 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> caggat	63 gggt agggtggtca gcgaagcagt agg	33
<211> <212>	64 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
	64 acta ggtatcaatg ggtagggtgg tgt	33
<210><211><211><212><213>	33	

```
<220>
<223>
      based on mammalian sequence
<400> 65
                                                                       33
gggggtacta ggtatcaatg ggtagggtgg tgt
<210>
       66
<211>
       33
<212>
      DNA
      Artificial
<213>
<220>
<223> based on mammalian sequence
<220>
      misc_feature
<221>
<222>
      (27)..(27)
<223> n is a, c, g, t, or u
<400> 66
                                                                       33
ggagacgtaa tgggttggtt gggaagngga tcc
<210>
       67
<211> 33
<212> DNA
<213> Artificial
<220>
<223>
      based on mammalian sequence
<400> 67
                                                                       33
gcatacgtaa tggtccggtt ggggcgggta tgt
<210>
       68
<211>
       33
<212>
      DNA
<213> Artificial
<220>
<223>
       based on mammalian sequence
<400> 68
                                                                       33
gggggtacta ggtatcaatg ggtagggtgg tgt
<210>
       69
<211>
       33
<212> DNA
<213> Artificial
<220>
<223>
       based on mammalian sequence
<400> 69
                                                                       33
gaggggactt aggatggta gggtggtagg ccc
<210> 70
```

	non-provisional sequence listing.ST25.txt	
<211> <212> <213>	33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggggt	70 acta ggtatcaatg ggtagggtgg tgt	33
<210> <211> <212> <213>	71 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggtcgg	71 ggca tagtaatgct ggattgggca gct	33
<210> <211> <212> <213>	72 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggtag	72 gagc agtacacgct ggaatgggtc act	33
<210> <211> <212> <213>	73 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gcagta	73 ggta ctatattggc tagggtggtc tgc	33
<210> <211> <212> <213>	74 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggtag	74 ggtg acagggagga cggaatgggc act	33
<210><211><211><212>	75 33 DNA	

<220> <223>	based on mammalian sequence	
<400> gcagta	75 ggta ctatattggc tagggtggtc tgc	33
<210> <211> <212> <213>	76 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gcagta	76 ggta ctatattggc tagggtggtc tgc	33
<210> <211> <212> <213>	77 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gcagta	77 ggta ctatattggc tagggtggtc tgc	33
<210> <211> <212> <213>	78 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggggt	78 gcta ggtattaaag ggtagggtgg tgt	33
<210><211><211><212><213>	79 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gcagta	79 ggta ctatgtcggg tcgggtggtc tgc	33
<210> <211> <212> <213>		
<220> <223>	based on mammalian sequence	

Page 18

	80 ggtg gttgtaatag ggattgcgat		30
<210> <211> <212> <213>	81 30 DNA Artificial		
<220> <223>	based on mammalian sequence		
<400> gggtag	81 ggtg gttgtaatag ggattgcgat		30
<210> <211> <212> <213>	82 30 DNA Artificial		
<220> <223>	based on mammalian sequence		
<400> ggcaca	82 accc gatatggcta tgaatctgcc		30
<210> <211> <212> <213>	83 30 DNA Artificial		
<220> <223>	based on mammalian sequence		
	83 ggtg gttgtaatag ggattgcgat		30
<210> <211> <212> <213>	84 30 DNA Artificial	·	
<220> <223>	based on mammalian sequence		
<400> gggtag	84 ggtg gttgtaatag ggattgcgat		30
<210> <211> <212> <213>	85 30 DNA Artificial		
<220> <223>	based on mammalian sequence		
	85 ggtg gttattggtg tagagcgggt	Page 19	30

<210> <211> <212> <213>	86 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> aatggg	86 gagg ttggggtgcg ggagagtggt	30
<210> <211> <212> <213>	87 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> acgcgt	87 agga tgggtagggt ggtcgcgtta	30
<210> <211> <212> <213>	88 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggtag	88 ggtg gttgtaatag ggattgcgat	30
<210> <211> <212> <213>	89 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggcga	89 aggt acgaagacgg atgcacgtgc	30
<210> <211> <212> <213>	90 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> aaggcc	90 gcca tctgggtccg acgagtacca	30
<210s	91	

	non-provisional sequence listing.ST25.txt	
<211> <212> <213>	30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> tagggt	91 gggt agggtggtca actatggggg	30
<210> <211> <212> <213>	92 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gggtgg	92 ctgg tcaaggagat agtacgatgc	30
<210> <211> <212> <213>	93 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggtagg	93 gtgg ttaaaatagg ggaatggcag	30
<210> <211> <212> <213>	94 30 DNA Artificial	,
<220> <223>	based on mammalian sequence	
	94 aagg gcgagcgctg agcatagtgc	30
<211> <212>	95 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ccaacg	95 acac atagggtaca cgccgcctcc	30
<210><211><211><212>	30	

Page 21

```
<220>
<223>
      based on mammalian sequence
<400> 96
                                                                        30
ggtagggtgg ttaaaatagg ggaatggcag
       97
<210>
<211>
       30
<212>
      DNA
<213> Artificial
<220>
<223>
      based on mammalian sequence
<400> 97
                                                                        30
taggatggt agggtggtcc caggaatggc
<210>
       98
<211>
       30
<212>
      DNA
<213>
      Artificial
<220>
<223>
       based on mammalian sequence
<400> 98
                                                                        30
taggatgggt agggtggccc caggaatggc
<210>
       99
<211>
      30
<212>
      DNA
<213> Artificial
<220>
<223>
      based on mammalian sequence
                                                                        30
ggtagggtgg ttaaaatagg ggaatggcag
<210>
       100
<211>
      30
<212> DNA
<213> Artificial
<220>
<223>
      based on mammalian sequence
<400> 100
                                                                        30
gatgtggccc agaagcataa cacgacgtac
<210>
      101
<211>
      30
<212>
      DNA
      Artificial
<213>
<220>
<223> based on mammalian sequence
```

<400> taggate	101 gggt agggtggtcc caggaatggc	30
<210> <211> <212> <213>	102 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggagat	102 gcag gtactgagta gggagtgtgc	30
<210> <211> <212> <213>	103 30 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> taggat	103 gggt agggtggtcc caggaatggc	30
<210> <211> <212> <213>	104 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> aatcaa	104 gggc tggtgttaaa ggtgatcgac tag	33
<210> <211> <212> <213>	105 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> aagggg	105 agcc atcacacagg aggtcgcttc gct	33
<210> <211> <212> <213>	106 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> aaaggc	106 atca cctagagttg ccgccgatac ttg	33

<210> <211> <212> <213>	107 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ggggat	107 gtgc gaaactggtg actatgcggg tgc	33
<210> <211> <212> <213>	108 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> cgaaag	108 gagc catcaacctt gaaacgcccg tcc	33
<210> <211> <212> <213>	109 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> cagacg	109 ggag ccatcgacat agaggtgatt gcc	33
<210> <211> <212> <213>	110 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> agggaa	110 agcc atcacctaga cacatacagc atg	33
<210> <211> <212> <213>	111 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> ataaga	111 agcc atcataggga cctagctagc ccc	33
<210>	112	

<211> <212> <213>	DNA	
<220> <223>		
<400>	112	
ccaaca	gacg gtagcacaac actagtactc tgg	33
<210> <211>	33	
<212> <213>	DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> acagac	113 gccc ctagtaaaca ataaccgatg gcc	33
<210>	114	
<211> <212>		
<220>		
<223> <400>	based on mammalian sequence	
	actc gccaagggtg acttctgcta ttg	33
<210> <211>	115 33	
<212> <213>		
<220> <223>	based on mammalian sequence	
<400> atgggg	·115 caac gcggagacct gtcggtactg cct	33
<210>		
<211> <212> <213>		
<220>		
	based on mammalian sequence 116	
gcaatatagc actaagcctt aactccatgg tgg 33		
<210> <211>	33	
<212> <213>	DNA Artificial	

<220> <223>	based on mammalian sequence	
<400> gcaagg	117 aaaa acaagcaagc catcacgacc tag	33
<210> <211> <212> <213>	118 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> caggca	118 tccc aagaagtgtc agccgtttcg tgg	33
<210> <211> <212> <213>		
<220> <223>	based on mammalian sequence	
<400> caacag	119 gaga gcccgacaca cagatctggc ccc	33
<210> <211> <212> <213>	120 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> acaagc	120 catc acgtgaatgc cgaccggtac tgt	33
<210> <211> <212> <213>	121 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> accgac	121 aaac aagtcaatac gggacacgat cct	33
<210> <211> <212> <213>	DNA	
<220> <223>	based on mammalian sequence	

<400> cagtgg	122 gtcg ggtcacagcc atgagtgttg ctg	33
<210> <211> <212> <213>	123 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> aacggg	123 - aaag ccatcaccat atttatcgtc ctg	33
<210> <211> <212> <213>	124 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> acgggc	124 gcaa acaagatgta caaaagcatg gtg	33
<210> <211> <212> <213>	125 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> agcggg	125 atag ggaactatcg gacaatcgtc gtg	33
<210> <211> <212> <213>	126 33 DNA Artificial	
<220> <223>	based on mammalian sequence	
<400> gaggat	126 aaaa gccatcaact agaatgcgca tgg	33